LITHIUM CELL TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA
Name/Description of cell

Mini MusicMan Soundstation				
Manufacturer of cell				
Name	Shenzhen Huanyuyuan technology Co., Ltd.			
Address	Block 72C, Dongyuan Industrial Park, No.28 Beihuan Road West, longteng			
	Area, Shiyan town, Baoan District Shenzhen China			
Phone	+86 755 2222 0111			
E-Mail	netxmxs2008@yeah.net			
Website	http://www.hyybattery.			
Manufacturer of the equipment (if the cell is contained in equipment)				
Name	Technaxx Deutschland GmbH & Co. KG			
Address	Kruppstraße 105, 60388 Frankfurt am Main			
Phone	+49 [69] 90 47552 0			
E-Mail	Zentrale@technaxx.de			
Website	http://www.technaxx.de/			

Test laboratory of cell		
Name	Waltek Services (Shenzhen) Co., Ltd.	
Address	1/F, Fukangtai Building, West Banma Rd., Songgang Street, Baoan District, Shenzhen China	
Phone	+86 755 8355 1033	
E-Mail	info@waltek.com.cn	
Website	www.waltek.com.cn	

ID-number and date

Unique test report identification number	WTS17S0475926S-1	
Date of test report	2017-04-26	
DESCRIPTION OF CELL (Mark with an "X")		
Lithium ion cell	X	
Lithium metal cell		
Parameters		
	C.F.	

Mass in gram (g):	6,5
Lithium ion: Indicate watt-hour rating (Wh):	1.11Wh
Lithium metal: Indicate lithium metal content in gram (g):	

Physical description of cell

Model numbers

TESTS AND RESULTS

List of tests conducted and results - Mark N/A, pass or fail with an "X"	N/A	Pass	Fail
T1 - Altitude simulation		Х	
T2 - Thermal Test		Х	
T3 – Vibration		Х	

T4 – Shock	X	
T5 - External Short Circuit	X	
T6 - Impact - for cylindrical cells having a diameter of at least 18 mm	Х	
T6 - Crush - for prismatic cells, pouch cells, button cells and cylindrical cells	Х	
having a diameter of less than 18 mm		
T7 – Overcharge	X	
T8 - Forced Discharge	X	

Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto

ADDITIONAL SUPPLIER INQUIRY		
Mark Yes or no with an "X"	Yes	No
Quality management system for manufacturing cells		
Does the manufacturer of the cell/battery manufacture the products based on a		
documented quality management system according to transport regulations?		
Are the following parameters exceeded?	х	
Lithium ion cell: more than 20 Wh		
Lithium metal cell: more than 1 g Lithium		
Check point 13 – 15 need to be answered when 12 has been	ticked "YES	":
Mark Yes or no with an "X"	Yes	No
Does each cell incorporates a safety venting device or is designed	х	
to preclude a violent rupture under normal conditions of carriage?		
Is each cell equipped with an effective means of preventing external short circuits?	х	
Is each battery containing cells or series of cells connected in parallel	х	
equipped with effective means as necessary to prevent dangerous reverse		
current flow (e.g. diodes, fuses, etc.) Not relevant for cells		

Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells and lithium polymer cells State of Charge (SoC) max. 30 %

State of Charge (SoC) max. 30 %		X		
	CELLS INSTALLED IN EQUIPMEN	IT		
Check point 17 needs to be answered when the cells are installed in articles: Mark			Pass	Fail
N/A, pass or fail with an "X"				
17c) Only button cells enclosed?			Х	
17b) Number of enclosed cells (o	other than button cells) per equipment			
When the equipment is intentio	nally active/switched on during transport e.g.	data loggers:		
17c) Confirmation that no dange	erous amount of heat is emitted from the equi	pment	Х	
17d)Confirmation that the equipment when transported by air fulfills the defined air			Х	
transport standards for electrom	nagnetic radiation according to DO-160			
Please markt he correct column	with an X			
Single Cell or Battery	Build in Cell/ Battery	Over 10	0Wh	
		BAT	JM - IONEN TERIE mit als 100 Wh	J
Einzel Zelle / Batterie	Zelle / Batterie in Ausrüstungen	⇔		

	in Ausrustungen		
	x		
	·		
Place, Date	Pascal Pekcan	cal Pekcan Company stamp and Signature	

Place, Date	Pascal Pekcan	Company stamp and Signature
2019-11-05	All	Technaxx Deutschland GmbH & Co. KG Kruppstr. 105 60388 Frankfurt a.M. Fon +49(0)69/90 47 55 2-0 · Fax-16