

# LITHIUM CELL TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name/Description of cell	
Polymer Lithium ion Battery BT-X45,30,27	

## Manufacturer of cell

Name	Dongguan Xinxin Electronic Technology Co. LTD.
Address	3F, Building A, No.6 Industrial Park, Ruixin Hengye, Shuilong Road, Tangxia Town, Dongguan City
Phone	+86 755 2823 0503
E-Mail	2535547671@qq.com
Website	<a href="http://www.szszyze.cn">http://www.szszyze.cn</a>

## Manufacturer of the equipment (if the cell is contained in equipment)

Name	Technaxx Deutschland GmbH & Co. KG
Address	Kruppstraße 105, 60388 Frankfurt am Main
Phone	+49 [69] 90 47552 0
E-Mail	Zentrale@technaxx.de
Website	<a href="http://www.technaxx.de/">http://www.technaxx.de/</a>

## Test laboratory of cell

Name	Shenzhen LCS Compliance Testing Laboratory Ltd.
Address	1/F Xingyuan Industrial Park Tongda Road Baoan Avenue Baoan District Shenzhen
Phone	+86 755 8259 1330
E-Mail	Jane.lee@lcs-cert.com
Website	<a href="http://www.lcs-cert.com">http://www.lcs-cert.com</a>

## ID-number and date

Unique test report identification number	LCS171120063ASA
Date of test report	2018-03-06

## DESCRIPTION OF CELL ( Mark with an "X")

Lithium ion cell	X
Lithium metal cell	

## Parameters

Mass in gram (g):	7.9g
Lithium ion: Indicate watt-hour rating (Wh):	1.11Wh
Lithium metal: Indicate lithium metal content in gram (g):	

## Physical description of cell

--

## Model numbers

--

**TESTS AND RESULTS**

List of tests conducted and results - Mark N/A, pass or fail with an "X"	N/A	Pass	Fail
T1 - Altitude simulation		X	
T2 - Thermal Test		X	
T3 – Vibration		X	
T4 – Shock		X	
T5 - External Short Circuit		X	
T6 - Impact - for cylindrical cells having a diameter of at least 18 mm		X	
T6 - Crush - for prismatic cells, pouch cells, button cells and cylindrical cells having a diameter of less than 18 mm		X	
T7 – Overcharge		X	
T8 - Forced Discharge		X	

Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto

**ADDITIONAL SUPPLIER INQUIRY**

Mark Yes or no with an "X"	Yes	No
<b>Quality management system for manufacturing cells</b> Does the manufacturer of the cell/battery manufacture the products based on a documented quality management system according to transport regulations?	X	
<b>Are the following parameters exceeded?</b> Lithium ion cell: more than 20 Wh Lithium metal cell: more than 1 g Lithium	X	

**Check point 13 – 15 need to be answered when 12 has been ticked "YES":**




Mark Yes or no with an "X"	Yes	No
Does each cell incorporates a safety venting device or is designed to preclude a violent rupture under normal conditions of carriage?	X	
Is each cell equipped with an effective means of preventing external short circuits?	X	
Is each battery containing cells or series of cells connected in parallel equipped with effective means as necessary to prevent dangerous reverse current flow (e.g. diodes, fuses, etc.) <b>Not relevant for cells</b>	X	


**Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells and lithium polymer cells**

State of Charge (SoC) max. 30 %	X	
---------------------------------	---	--

**CELLS INSTALLED IN EQUIPMENT**

Check point 17 needs to be answered when the cells are installed in articles: Mark N/A, pass or fail with an "X"	N/A	Pass	Fail
17c) Only button cells enclosed?		X	
17b) Number of enclosed cells (other than button cells) per equipment			
When the equipment is intentionally active/switched on during transport e.g. data loggers:			
17c) Confirmation that no dangerous amount of heat is emitted from the equipment		X	
17d) Confirmation that the equipment when transported by air fulfills the defined air transport standards for electromagnetic radiation according to DO-160		X	

Single Cell or Battery	Build in Cell/ Battery	Over 100Wh
		

Place, Date	CEO Technaxx	Stamp
2019-12-18	Pascal Pekcan 	Technaxx Deutschland GmbH & Co. KG Kruppstr. 105 60388 Frankfurt a.M. Fon +49(0)69/90 47 55 2-0 · Fax-16