LITHIUM CELL TEST SUMMARY AND SUPPLIER INQUIRY

IN ACCORDANCE WITH SUB-SECTION 38.3 OF MANUAL OF TESTS AND CRITERIA

Name/Description of cell / modeln o. of Product			
Lithium-ion polymer battery		TX-63	
Manufacturer of cell			
Name	东莞市金赛尔电池科技	有限公司	
Address	中国广东省东莞市塘夏	镇蛟乙塘银湖工业区 11 号	
Phone	0769 82195319		
E-Mail			
Website	www.gcelbattery.com		
Manufacturer			
Name	Technaxx Deutschland Gmb	H & Co. KG	
Address	Kruppstraße 105, 60388 Fra	nkfurt am Main	
Phone	+49 [69] 90 47552 0		
E-Mail	Zentrale@technaxx.de		

Website http://www.technaxx.de/

Test laboratory of cell 电池测试实验室

Name	深圳市通测检测技术有限公司	
Address	中国广东省深圳市宝安区福永桥头亿宝来工业城1栋1层B	
Phone	86-755-27673339	
E-Mail		
Website	www.tct-lab.com	
ID-number and date		

Unique test report identification number	TCT19121B145	
Date of test report	2019-12-19	
DESCRIPTION OF CELL (Mark with an"X")		
Lithium ion cell	X	
Lithium metal cell		
Parameters		
Mass in gram (g): 重量(g)		
Lithium ion: Indicate watt-hour rating (Wh):	0.222	

Physical description of cell

Rechargeable lithium-ion polymer battery

Lithium metal: Indicate lithium metal content in gram (g):

Model numbers

301025

TESTS AND RESULTS

List of tests conducted and results		Pass	Fail
- Mark N/A, pass or fail with an "X"			
T1 - Altitude simulation		Х	
T2 - Thermal Test		Х	
T3 – Vibration		Х	
T4 – Shock		Х	
T5 - External Short Circuit		Х	
T6 - Impact - for cylindrical cells having a diameter of at least 18 mm		Х	
T6 - Crush - for prismatic cells, pouch cells, button cells and cylindrical cells		Х	
having a diameter of less than 18 mm			
T7 – Overcharge		Х	
T8 - Forced Discharge		Х	

ADDITIONAL SUPPLIER INQUIRY

Mark Yes or no with an "X"		No
Quality management system for manufacturing cells		
Does the manufacturer of the cell/battery manufacture the products based on a		
documented quality management system according to transport regulations?		
Are the following parameters exceeded?	Х	
Lithium ion cell: more than 20 Wh		
Lithium metal cell: more than 1 g Lithium		

Check point 13 – 15 need to be answered when 12 has been ticked "YES":

Mark Yes or no with an "X"		No
Does each cell incorporates a safety venting device or is designed		
to preclude a violent rupture under normal conditions of carriage?		
Is each cell equipped with an effective means of preventing external short circuits?		
Is each battery containing cells or series of cells connected in parallel		
equipped with effective means as necessary to prevent dangerous reverse		
current flow (e.g. diodes, fuses, etc.) Not relevant for cells		

Only in air transport: State of Charge (SoC) for UN 3480 Lithium ion cells and lithium polymer cells State of Charge (SoC) max. 30 %

CELLS INSTALLED IN EQUIPMENT

Check point 17 needs to be answered when the cells are installed in articles: Mark	N/A	Pass	Fail
N/A, pass or fail with an "X"			
17c) Only button cells enclosed?		Х	
17b) Number of enclosed cells (other than button cells) per equipment 1			
When the equipment is intentionally active/switched on during transport e.g. data logge	ers:		
17c) Confirmation that no dangerous amount of heat is emitted from the equipment X			
17d)Confirmation that the equipment when transported by air fulfills the defined air		Х	
transport standards for electromagnetic radiation according to DO-160			

Please markt he correct column with	x	
Single Cell or Battery	Build in Cell/ Battery	Over 100Wh
LITHIUM - METALL UN 3090 Einzel Zelle / Batterie	LITHIUM - IONEN UN 3481 UN	LITHIUM - IONEN BATTERIE mit MEHR als 100 Wh C

Place, Date	Signature	Company stamp and Signature
Frankfurt, 10.12.2019	PUL	Technax Deutschland GmbH & Co. KG Kruppstr. 105 60388 Frankfurt a.M. Fon +49(0)69/90 47 55 2-0 Fax -16