


Auto Baby-Alarm TX- 162





Anti-abandonment
device



Extended
alarm light



Seatbelt detachment
recognition



No application
needed



USB-charging
QC3.0 and USB-C



Expandable





Package Contents:

- 1x receiver unit
- 1x cushion sensor
- 1x buckle sensor
- 1x adhesive for buckle sensor
- 1x alarm light unit
- usermanual



Alarm light unit

Double Protection – child car seat has alarm prompt after turn off the car or loosen the seat belt. Car seat protector has extended alarm light and seat belt buckle sensor has working voltage of DC 3V with working current: $<10\mu\text{A}$ and working time > 2 years



Receiver unit

Good Compatibility - baby car seat is suitable for all cars and seats. Car alarm is also expandable. The receiver unit has alarm volume 70-90dB with working current $< 100\text{mA}$ and working voltage DC 9 - 16V.



Seat belt buckle sensor

Anti-Abandonment Device – this device has car alarm system with seatbelt detachment recognition. Car seat with anti-abandonment feature provides the user with baby safety socket



Cushion sensor unit

Easy To Charge - baby seat has two outputs, USB1 output interface: support QC3.0 protocol and USB2 output interface: $\leq 5\text{V}/2.4\text{A}$ with TYPE-C output interface.